

VENF.EX16189 - Flexible Sprinkler Hose with Fittings

Flexible Sprinkler Hose with Fittings

See General Information for Flexible Sprinkler Hose with Fittings

TAIZHOU REALFLEX PIPETEC CO LTD

NO 1 JINNIU RD, HUANGYAN

TAIZHOU, ZHEJIANG 318020 CHINA

EX16189

Model	Rated Pressure, psig	Max Ambient Temp, °F	Nom Inlet by Outlet Size, in.	Assembly Length, ft	Max No. of 90° Bends	Min Bend Radius, in.	Equivalent Length of 1 in. Schedule 40 Steel Pipe (C = 120), ft	Flexibility Type
RF-100 (25/700-1.4-1/2") (unbraided)	203	150	1 by 1/2	2.3	2	4	27	Limited
RF-100 (25/1000-1.4-1/2") (unbraided)	203	150	1 by 1/2	3.3	3	4	37	Limited
RF-100 (25/1200-1.4-1/2") (unbraided)	203	150	1 by 1/2	3.9	3	4	49	Limited
RF-100 (25/1500-1.4-1/2") (unbraided)	203	150	1 by 1/2	4.9	3	4	63	Limited
RF-100 (25/1800-1.4-1/2") (unbraided)	203	150	1 by 1/2	5.9	4	4	78	Limited
RF-100 (25/700-1.4-3/4") (unbraided)	203	150	1 by 3/4	2.3	2	4	28	Limited
RF-100 (25/1000-1.4-3/4") (unbraided)	203	150	1 by 3/4	3.3	3	4	41	Limited
RF-100 (25/1200-1.4-3/4") (unbraided)	203	150	1 by 3/4	3.9	3	4	47	Limited
RF-100 (25/1500-1.4-3/4") (unbraided)	203	150	1 by 3/4	4.9	3	4	64	Limited
RF-100 (25/1800-1.4-3/4") (unbraided)	203	150	1 by 3/4	5.9	4	4	80	Limited
RF-200-700 braided	203	150	1 by 1/2	2.3	2	3.9	25	Limited
RF-200-1000 braided	203	150	1 by 1/2	3.3	3	3.9	33	Limited

RF-200-1200 braided	203	150	1 by 1/2	3.9	3	3.9	39	Limited
RF-200-1500 braided	203	150	1 by 1/2	4.9	3	3.9	50	Limited
RF-200-1800 braided	203	150	1 by 1/2	5.9	3	3.9	58	Limited
RF-200-700 braided	203	150	1 by 3/4	2.3	2	3.9	21	Limited
RF-200-1000 braided	203	150	1 by 3/4	3.3	3	3.9	36	Limited
RF-200-1200 braided	203	150	1 by 3/4	3.9	3	3.9	43	Limited
RF-200-1500 braided	203	150	1 by 3/4	4.9	3	3.9	52	Limited
RF-200-1800 braided	203	150	1 by 3/4	5.9	3	3.9	63	Limited
RF-400-700 braided	203	150	1 by 1/2	2.3	2	4	8	Limited
RF-400-1000 braided	203	150	1 by 1/2	3.3	3	4	18	Limited
RF-400-1200 braided	203	150	1 by 1/2	3.9	3	4	19	Limited
RF-400-1500 braided	203	150	1 by 1/2	4.9	3	4	24	Limited
RF-400-1800 braided	203	150	1 by 1/2	5.9	3	4	33	Limited
RF-400-700 braided	203	150	1 by 3/4	2.3	2	4	17	Limited
RF-400-1000 braided	203	150	1 by 3/4	3.3	3	4	25	Limited
RF-400-1200 braided	203	150	1 by 3/4	3.9	3	4	29	Limited
RF-400-1500 braided	203	150	1 by 3/4	4.9	3	4	31	Limited
RF-400-1800 braided	203	150	1 by 3/4	5.9	3	4	36	Limited
RF-400-700 braided	203	150	1 by 1	2.3	2	4	16	Limited
RF-400-1000 braided	203	150	1 by 1	3.3	3	4	23	Limited
RF-400-1200 braided	203	150	1 by 1	3.9	3	4	25	Limited
RF-400-1500 braided	203	150	1 by 1	4.9	3	4	30	Limited
RF-400-1800 braided	203	150	1 by 1	5.9	3	4	41	Limited

The Series RF-100 flexible sprinkler hose with fittings are intended to be installed with the RF-FK-102 and RF-DK-B bracket assembly in accordance with the manufacturer's installation instructions dated 2019-02-27.

These Series RF-200 flexible sprinkler hose with fittings are intended to be installed with the Fast Center Bracket and S Bracket assembly in accordance with the manufacturer's installation instructions dated 2017-08-15.

These Series RF-400 flexible sprinkler hose with fittings are intended to be installed with the Easy-snap Center Bracket(RF-12320) and Long Side Bracket(RF-12211) assembly in accordance with the manufacturer's installation instructions dated 2019-02-17.

Trademark and/or Tradename:



Last Updated on 2019-10-18

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过 UL 认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明：“© 2020 UL LLC”